

**From:** [Telisak, Theodore](#)  
**To:** [Tzhone, Stephen](#)  
**Cc:** [ccheatwood@eaest.com](mailto:ccheatwood@eaest.com); [Koors, Felicia](#)  
**Subject:** RE: Arkwood - EA comments on Risk Evaluation  
**Date:** Tuesday, January 26, 2016 5:10:11 PM  
**Attachments:** [TO 0100 - Comments Ltr 20160126.pdf](#)

---

Stephen,

EA has reviewed the PRP response to comments and the revised Risk Evaluation of Analytical Data from Decision Unit Sampling, which were submitted by the PRP late last month. As the attached letter indicates, we have no further comments.

Please let me know if you have any questions or concerns.

---

**From:** Telisak, Theodore  
**Sent:** Monday, June 01, 2015 5:33 PM  
**To:** Stephen Tzhone (Tzhone.Stephen@epa.gov) <Tzhone.Stephen@epa.gov>  
**Cc:** Cheatwood, Cynthia <ccheatwood@eaest.com>; Snyder, Jay <jsnyder@eaest.com>; Koors, Felicia <fkoors@eaest.com>  
**Subject:** Arkwood - EA comments on Risk Evaluation and Tracing Study Report

Stephen,

EA has reviewed the Draft Dioxin Reassessment Risk Evaluation of Analytical Data from Decision Unit Sampling and the Supplemental Groundwater Tracing Summary Report, which were submitted by the PRP in March 2015. Attached are our comments, submitted for your review, to comply with the requirements of EA's approved Work Plan.

Please note that some of these comments may have already been superseded by comments compiled in May and sent to the PRP for consideration before the May 19 meeting, or they may have been addressed by the PRP in the discussions held on May 19.

Please let me know if you have any questions or concerns.

**Ted Telisak, P.E.**

EA Engineering, Science, and Technology  
405 S. Highway 121, Building C-100  
Lewisville, TX 75067  
[ttelisak@eaest.com](mailto:ttelisak@eaest.com)

972-315-3922 Switchboard  
972-459-5017 Direct  
469-964-8529 Cell



9643484